WHY CHOOSE NICE COVER SYSTEM & ACCESSORIES





QUICK REFERENCE GUIDE		
Nice Duct	Part Number	Dimensions
	NICE-DUCT-SM	3" x 2" x 6.5' (W/H/L)
	NICE-DUCT-M	3.5" x 3" x 6.5' (W/H/L)
	NICE-DUCT-LG	5" x 3" x 6.5' (W/H/L)
Tubing Support		
	NICE-TS-SM	3" x 2" (W/H)
	NICE-TS-M	3.5" x 3" (W/H)
	NICE-TS-LG	5" x 3" (W/H)
Upper Connecto	r	
	NICE-UC-SM	3" x 2" (W/H)
	NICE-UC-M	3.5" x 3" (W/H)
	NICE-UC-LG	5" x 3" (W/H)
Wall Duct		
	NICE-WD-SM	3" x 2" (W/H)
	NICE-WD-M	3.5" x 3" (W/H)
	NICE-WD-LG	5" x 3" (W/H)
Corner Bend 90°	,	
	NICE-CB-SM	3" x 2" (W/H)
	NICE-CB-M	3.5" x 3" (W/H)
	NICE-CB-LG	5" x 3" (W/H)
Elbow Bend 90°		
	NICE-EB-SM	3" x 2" (W/H)
	NICE-EB-M	3.5" x 3" (W/H)
20	NICE-EB-LG	5" x 3" (W/H)

FEATURES & BENEFITS

NICE Duct Systems provide an extremely safe and compact covering for line sets, control cables, and drain lines. Every component features a radiused design that provides greater strength to all sections and corners and reduces sharp turns that could kink the line set. The fit and finish of the covers are of the highest quality and provide a beautiful, professional look to any outdoor or indoor applications.

- **Easy installation** Easy, fast snap-on installation
- Durable Line set covers are strong, light and highly resistant to cracking, crushing and chipping
- UV Retardant and temperature resistant Won't fade, crack or break down; even in extreme temperatures
- Aesthetically pleasing NICE plastic covers are fully paintable to match any wall or siding color



Engineered, manufactured and tested according to rigid Swiss quality standards. Product certifications available upon request.

WHY CHOOSE NICE COVER **SYSTEM ACCSSORIES**



End Duct Terminal	Part Number	Dimensions (W/H)
	NICE-ED-SM	3" x 2" (W/H)
	NICE-ED-M	3.5" x 3" (W/H)
	NICE-ED-LG	5" x 3" (W/H)
Flat Bend		
	NICE-FB-SM	3" x 2" (W/H)
	NICE-FB-M	3.5" x 3" (W/H)
	NICE-FB-LG	5" x 3" (W/H)
Wall Terminal		
	NICE-WT-SM	3" x 2" (W/H)
	NICE-WT-M	3.5" x 3" (W/H)
	NICE-WT-LG	5" x 3" (W/H)
Tee Joint		
NG B	NICE-TJ-M	3.5" x 3" (W/H)
3	NICE-TJ-LG	5" x 3" (W/H)
Adjustable Flat Bend	45° - 135°	
	NICE-AFB-SM	3" x 2" (W/H)
	NICE-AFB-M	3.5" x 3" (W/H)
Joint Reduction		
1	NICE-RD-M	3.5" x 3" - 3" x 2" (W/H)
	NICE-RD-LG	5" x 3" - 3.5" x 3" (W/H)
Flexible Sleeve		
	NICE-FS-SM	3" x 2" (W/H)
	NICE-FS-M	3.5" x 3" (W/H)
	NICE-FS-LG	3.5" x 5" (W/H)


FEATURES & BENEFITS

- **Universal precision tool** - Can be used to cut any brand of line set cover
- Cost-efficient Blade is interchangeable (available separately) and can be easily removed to be sharpened
- **Superior support** - Lid and base are supported while being cut; preventing any deformation and guaranteeing a precision cut with no imperfections



NICE-DC

PRECISION CUTS IN THREE EASY STEPS:





FEATURES & BENEFITS

- Pipe protection for indoor/outdoor transitions
- Made of weather and aging resistant materials
- Quick assembly

Part Number	Dimensions
NICE-RP-SM	5" X 17" x 5" (L/H/W)
NICE-RP-LG	5" X 17" x 10" (L/H/W)

Product certifications available upon request.

WHY CHOOSE NICE DRAIN HOSE & ACCESSORIES





- Durable Flexible, corrugated, high-quality polypropylene; stabilized against UV rays, making the hose highly resistant to cracking and micro-perforations
- Adaptable Male/female joints at three-foot intervals

Part Number	Dimensions
FDH-58	INTERNAL Ø : 5/8″
FDH-34	INTERNAL Ø : 3/4″

Product	Part No.	Dimensions	
Three-way Central Joint			
	TWJ-58	Diameter: 5/8"	
	TWJ-34	Diameter: 3/4"	
Drain Hose Repair Coupling			
	RC-34	Diameter: 3/4"	
Flex/Rigid Connection Fitting			
	FRC-34	Diameter: 3/4"	
Flex/Rigid Drain Pipe Reduction			
	FRR-01	Flex Diameter: 3/4″ Rigid Diameter: 1″	

Product	Part No.	Flex-End Dims.	Flex-End Color
Drain Hose Adapter Fittings			
	AF-16	16 MM	Yellow
Elexible Rigid PV	AF-18	18 MM	Red
Drain Line Hose Clamps	AF-20	20 MM	Blue
Rigid End Flexible End	AF-25	25 MM	Green
	AF-32	32 MM	Gray

SUBMITTAL DATA SHEET NICE LINECOVERS, DRAINS & ACCESSORIES			
Job Name	Location		
Purchaser	Engineer		
Submitted To	Reference	Approval	Construction
Submitted By			
Unit Designation	Schedule		
Construction	Date		
